SPRiNTUS

INNOVATIVE
CLEANING SOLUTIONS



2027
ANNIVERSARY

TITAN SQUARE iGO

Simple cleaning close to the edge.



Technical Data	TITAN SQUARE iGO
Voltage	36V
Watt	250 W
Brush redation	2800 rpm
Work surface	15⅜ × 9 in
Weight	48 lb 8 oz
Additional weight	44.1 lb
Total weight	92 lb 9 oz
Contact pressure	0.68 lb/in²
Freshwater container	3.17 gal
Li-ion battery	2 x 18 V, 9 Ah
Dimensions (H x L x W)	50 × 15¾ × 17¾ in

The new Titan Square iGO eccentric machine combines powerful cleaning performance with maximum user-friendliness. Thanks to its rectangular pads, the Titan Square effortlessly cleans every corner and along edges – without any time-consuming reworking. The innovative eccentric technology ensures excellent mechanical action with minimal vibration, allowing the machine to be guided smoothly, safely and without fatigue – even by inexperienced users.

Whether for basic or maintenance cleaning, the Titan Square delivers perfect results on almost all floor coverings. The additional weights of 44.1 lb in the scope of delivery ensure high contact pressure, while robust metal and brass components guarantee a long service life.

Features:



Ergonomic: Handle element with robust switches



Pre-Pad protection: protects machine fasteners when no pad is mounted



Easy transport: quick assembly and disassembly of weights



Robust & durable: complete mechanism made of metal, with brass parts that come into contact with water





Mobile: cordless cleaning with up to 65 minutes of runtime for maximum flexibility



Easy and safe to use: smooth, controlled operation without much effort

Low vibration: ergonomic working, even during long working intervals

Flexible: 7 different pads with different material compositions, suitable for various cleaning tasks


Pads:



Pad white (5 pieces)
209103



Pad red (5 pieces)
209105



Pad green (5 pieces)
209107



Pad brown strip (10 pieces)
209111




Duo Pad (5 pieces)
209113



Queen Bonnet Pad (5 pieces)
209115



Graspad (1 piece)
209117



Pre Pad (1 pieces)
209119

BOOSTIX iGO ZERO

Lightweight, efficient and sustainable.



Item no.	Item description
Z122002	BoostiX iGO ZERO without batteries, without charger
Z122017	BoostiX iGO ZERO with 5 Ah batteries and charger
Z122023	BoostiX iGO ZERO with 9 Ah batteries and charger

Technical data	BOOSTIX iGO ZERO
Voltage	36 V
Watt	300-150W
Waterlift	64.2 in
Airflow	71.0 CFM
Container material	plastic
Vacuum	16kPa
Container capacity	1.58 gal
Li-ion battery	2 x 18 V, 5 Ah
Li-ion battery optional	2 x 18 V, 9 Ah
Length of suction hose ca.	3 ft 7⅜ in
Diameter of suction hose ca.	1¼ in
Diameter of suction tube ca.	1¼ in
Weight ca.	9.7 lb*
Dimensions (H x L x W)	17 ¾ in × 15 in × 7 in

*Device & carrying strap

HEPA X3

MADE IN GERMANY



With the new BoostiX iGO ZERO cordless backpack vacuum cleaner, SPRiNTUS is setting new standards in professional cleaning and offering another professional appliance that is made in Germany. The BoostiX iGO ZERO impresses with an extremely low appliance weight of just 9.7 lb as well as high efficiency and a long motor life thanks to the brushless 300 watt EC motor.

With a running time of up to 90 minutes, the vacuum is ideal for long periods of work in confined or hard-to-reach areas such as public transport, cinema and theatre auditoriums or stairwells. The triple HEPA 13 filter system ensures clean air is blown out, making the BoostiX iGO ZERO ideal for use in healthcare and hospitality.



Four storage slots for accessories.



Ergonomic carrying system, tool-free changeable.



Low centre of gravity with optimum weight distribution.



Multifunctional carrying strap.

HYDROX WORKS

The powerful pump vacuum.
Compact. Powerful. Reliable.



HydroX Works

Powerful for industry and general repairs



MADE IN GERMANY

The HydroX Works redefines pump vacuum performance and is ideal for removing large volumes of water after flooding, water damage, or fire-related incidents. Designed for demanding industrial applications, it combines powerful suction, efficient pumping performance, and a compact design.
Manufactured in Germany and equipped with a 40-liter tank, the HydroX Works stands for high quality and reliable operation. Its well-balanced suction and pump performance ensures continuous and efficient water removal. The dry-running 550 W pump features a quick-change system, allowing it to be easily removed, cleaned, or replaced.
The large collection basket and proven cyclone system effectively separate coarse particles and foam. A 10 m dirty water discharge hose with a diameter of 38 mm and a universal C-type pipe connection efficiently transfer the pump output into actual delivery performance.
A PRCD personal protection switch and an IP54-rated power outlet provide enhanced operational safety. Heavy-duty locking casters, practical cable hooks, a flexible push bar, and integrated accessory storage ensure convenient handling and ease of use.

Highlights

- **IP54-rated power outlet**
  Provides protection against dust and splashing water for reliable operation in demanding environments.
- **Durable plastic fittings**
  Robust components designed for reliable use in demanding applications.
- **Maximum delivery head of 29.5 ft**
  Pumps water efficiently to a height of up to 29.5 ft.
- **Maximum pump flow rate of 66 GPM**
  Enables fast and efficient removal of large volumes of water.

Advantages:



Powerful and reliable performance: Equipped with a 550 W pump, the HydroX Works delivers a maximum flow rate of 17,000 l/h and a delivery head of up to 9 m. This combination ensures efficient and continuous operation, even in demanding applications.



Efficiently-designed filter basket: Featuring small perforations in the lower section and wide openings at the top, it allows continuous drainage while effectively separating sludge and large particles.
Its large capacity enables extended operation, and the basket can be easily removed for emptying and stands securely on the floor.

Features:




Efficient quick-change system: Pump can be easily and quickly removed, cleaned and replaced




Optional adapter plate: for tool-free attachment of tool cases from all common manufacturers




Practical carrying handle: retractable for mounting the optional adapter plate for tool cases



Flexible push bar: adjustable and foldable for easy transport



Maximum pumping distance:
Without stop: A: 131 ft, B: 6½ ft
A: 131 ft, B: 13ft



Maximum delivery head:
A: 32 ft, B: 29.5 ft
Without Stop: A: 32 ft, B: 10 ft



Easy-to-maintain exhaust air filter: simple to clean

Convenient cable hooks: for easy and secure transport

Universal C-coupling connection: for wastewater hose, compatible with fire brigade and technical relief services hoses (standard accessory 10 m)

Efficient drainage system: complete emptying of the container thanks to the bendable drainage hose

Sturdy locking brakes: prevent the vacuum cleaner from rolling away unintentionally

Robust on/off switch: rotary switch for reliable operation

Safe power supply: PRCD personal protection circuit breakers and safe sockets (IP54)

Customised logo sign: strengthens your brand and corporate image

Space for accessories: 3 slots and dovetail guide on the rear of the device

Operating principle:

Water is sucked in through the suction hose. The integrated wastewater pump immediately pumps the collected water through the C-pipe connection at the rear of the device.



Fields of application:



firefighting operations



flood operations



water damage



flat roof renovation

Technical Data:	HYDROX WORKS
Voltage	120V / 60 Hz
Total power	1750 W
Power consumption (device)	1200 W
Power consumption (pump)	550 W
Sound pressure level	79 dB(A)
Water lift	76.3 in*
Volume flow rate	157 CFM
Max. flow rate (pump)	66 GPM
Max. suction height	6,2 ft
Max. delivery head (pump)	29.5 ft
Container material	Plastic
Container volume	10.6 gal
Wastewater connection	C-coupling
Length of suction hose	13 ft
Length of discharge hose	33 ft
Diameter of suction hose	1⅜ in
Diameter of tubes	1½ in
Length of power cord	33 ft
Weight	45,5lb
Dimensions (L x W x H)	28¼ × 21¼ × 15¼ in

*Measured at the nozzle

		HYDROX WORKS
	Item-No.	113013
Standard accessories:		
C-hose pump side 33 ft	113258	■
Suction hose 13 ft	113306	■
Cyclone insert	113290	■
Suction tube plastic	113245	4 pcs
Removable filter basket	113295	■
Crevice nozzle 9,5 in	102016	■
Wet floor nozzle 14 in	109114	■
Pump 550 W	113263	■

■ standard accessories ☐ Optional accessories


XCONNECT

Intelligent automatic start/stop
Simple. Clean. Safe.

Thanks to the innovative Xconnect appliance control system, automatic start/stop with (cordless) power tools has never been easier! It saves a considerable amount of time, as the extraction of fine dust from the power tool starts automatically as soon as the cordless tool starts working. This means that in future it will not only be possible to automatically extract dust from corded tools, but also from cordless tools with machines from any manufacturer.

The intelligent Bluetooth transmitter is attached to the power tool and detects whether it is switched on or off. The transmitter transmits the signal wirelessly to the radio-controlled socket. This activates the vacuum cleaner – for a dust-free working environment and maximum health protection. The radio-controlled socket can be controlled by up to three different Bluetooth transmitters.

Up to three transmitters conectable with one receiver.



Powers up every machine.





Technical data	
Operating range	max. 98.4 ft
Radio frequency	2.400-2.483 MHz
Transmitter	
Power supply	1x CR2032 battery

Item no.	Item description
118345	Xconnect set - socket, transmitter module & rubber band
118344	Xconnect Bluetooth socket
118341	Xconnect Bluetooth transmitter (incl. rubber band)
118343	Xconnect replacement strap



CRAFTIX XC

Innovative safety vacuum cleaner with integrated radio-controlled socket

The innovative CraftiX range from SPRiNTUS has been extended with the CraftiX XC model variant. The wireless module integrated in the safety vacuum cleaner ensures automatic start/stop when working with cordless tools. All you need to do is attach the Bluetooth transmitter to the power tool and pair it with the CraftiX XC.


The transmitter communicates wirelessly to the bluetooth module when the power tool is switched on or off and activates the automatic start/stop function. This ensures simple and convenient dust control - when working with corded as well as cordless tools.



CraftiX 50 (XC):
more than 13 gal
container capacity

CraftiX 35 (XC):
optional bluetooth connection
for cordless powertool control

Up to three transmitters connectable with one CraftiX XC.



CraftiX XC works as Receiver

Technical data	35	35 XC	50	50 XC
Voltage	120 V / 60 Hz		120 V / 60 Hz	
Watt	1200 W		1200 W	
Waterlift	100 in		100 in	
Air flow	157 CFM		157 CFM	
Container material	Plastic		Plastic	
Container capacity	9.3 gal		13.2 gal	
Length of power cord	32.8 ft		32.8 ft	
Lenght of suction hose	16.4 ft		16.4 ft	
Diameter of suction hose	1⅜ in		1⅜ in	
Weight	33 lb		35.2 lb	
Dimensions (H x L x W)	21¼ × 15⅜ × 25 in		21¼ × 15⅜ × 30¼ in	

Item no.	Item description
118005	CraftiX 35
118019	CraftiX 50
118704	CraftiX 35 XC
118718	CraftiX 50 XC





ERA ZERO line

Innovative cleaning solutions

The ERA ZERO line marks a new era in professional cleaning – sustainable, innovative, and made in Germany. With 75% recycled plastic and zero emissions, ERA ZERO models combine silent performance with reliability and advanced features. The ERA ZERO line stands for innovative design, regional manufacturing, and climate-conscious technology – setting new standards for the cleaning industry.



ERA EVO ZERO:
Versatile all-rounder with triple HEPA13 filtration.
available on request

ERA TEC ZERO:
Smooth handling thanks to rubberised wheels and castors.
available on request

ERA iGO ZERO:
Maximum mobility thanks to 36 V Li-ion design.

Technical data	ERA EVO ZERO	ERA TEC ZERO	ERA iGO ZERO
Voltage	120V / 60Hz	120V / 60Hz	36V
Watt	700 W	700 W	300-150W
Waterlift	84.3 in	84.3 in	64.2-40.15 in
Air flow	80.5 CFM	80.5 CFM	70 CFM
Container material	Plastic	Plastic	Plastic
Vacuum	21kPa	21kPa	16-10kPa
Container capacity	3.4 gal	3.4 gal	3.4 gal
Length of power cord	32 ft 10 in	39 ft 4½ in	-
Li-ion battery	-	-	2 x 18 V, 5 Ah
Li-ion battery optional	-	-	2 x 18 V, 9 Ah
Length of suction hose	8.2 ft	8.2 ft	8.2 ft
Diameter of suction hose	1¼ in	1¼ in	1¼ in
Diameter of suction tube	1¼ in	1¼ in	1¼ in
Weight	11.2 lb	12.1 lb	10.3 lb*
Dimensions (H x L x W)	15 × 11 × 17 in	15 × 11 × 17 in	15 × 11 × 17 in

*withouth battery

Item no.	Item description
Z117800	ERA EVO ZERO
Z117852	ERA TEC ZERO
Z120001	ERA iGO ZERO without batteries, without charger
Z120014	ERA iGO ZERO with 5 Ah batteries and charger
Z120020	ERA iGO ZERO with 9 Ah batteries and charger

HEPA X3

MADE IN GERMANY


100% Quality Check



Features: from all Vacuum Cleaners



Your brand. Your company image.
We imprint your logo.



Stepless mechanical power regulation & low sound pressure level of 55 dB(A).



Four storage slots for accessories & parking position for the floor nozzle.



Integrated cable rewind with open design.



Tool-free cable changing.



Working range of 25 m.


Features: Additional equipment for ERA TEC ZERO




The blue operation LED turns red when a blockage occurs.



USB charging function.
Storage box and USB charging cable sold separately.



Infinitely adjustable ECO mode.
100 % LpA: 54 dB(A)
50 % LpA: 49 dB(A)



Rubberised castors, Ø 120 mm and swivel castors, Ø 60 mm.



Clever filter compartment for spare filter bags.



Features:

Additional features compared to ERA TEC ZERO



2 x 5 Ah battery for up to 60 minutes of runtime
2 x 9 Ah Ah battery for up to 90 minutes of runtime.

The two batteries installed on the motor head create a low center of gravity, which significantly reduces the vacuum cleaner's risk to tip over.

Handle including an extendable carrying strap.

Display: Indicating current power level and battery status

Customisation with your logo.

MEDUSA

For quick, cordless interim cleaning, indoors and outdoors.

Industrial battery-powered sweeper for the quick, quiet and cordless cleaning of all surfaces, indoor and outdoor. The full floating main cylinder brush individually adapts to any surface, whether hard surface or carpet.

Suggested Use
Ideal for entryways of all kinds, hallways, staircases, driveways, warehouse and office areas, airports and train stations.

The Medusa is a battery-powered machine developed specifically with professional users in mind. It has a working width of 37 cm, including its two inwards-rotating side brushes.
Objects with a diameter of up to 2 cm can be easily vacuumed during operation. With its light weight and compact dimensions, the Medusa is designed for hard-to-reach spaces. The side brushes enable a complete and thorough cleaning along edges and even in the smallest corners.The powerful Lithium-Ion battery (without memory effect) with 10.8 V and 1.5 Ah allows an operation time of approx. 45 minutes per battery. A second, optional battery can be directly stored and carried on the machine itself.
A quick-charging unit with a charging time of only 90 minutes is included with purchase.


Highlights:

- Large foot pedal for activation without bending over
- Main cylinder brush and side brushes can be replaced without the use of tools
- Aluminium telescopic handle for an optimum work position
- Rubber wheels leave no traces, even on sensitive surfaces
- Enormous waste collection tray with 2 litres capacity
- Changeable bristled rim on the bottom of the housing
- Low noise volume, and therefore excellent for use during business hours
- Space-saving storage position
- Compact, light, and easy-to-handle for any user
- Tip Can be carried on the cleaning trolley






MADE IN GERMANY



cylinder brush and side brushes is possible.



results in corners and edges.




with a volume of 2 litres.



Cordless, efficient, compact and agile.



Technical Data:	
Voltage (Charging Unit)	220-240 V / 50 Hz
Operating voltage	10,8 V / 2 Ah
Battery duration	45 min / battery
Sound pressure level	63 dB(A)
Container material	Plastic
Container volume	0.53 gal (gross)
Weight	6.2 lbs
Dimensions (L x W x H)	14.2 x 11.8 x 4.3 in





① Standard quick charging unit. Charging time of 90 minutes per battery. Efficient regardless of batteries level at the time of charging. Fully-equipped with two batteries, the operation time lengthens to 90 minutes.

② Space-saving storage position.

③ Ergonomic handle for working without tiring.

	Item-No. EU	MEDUSA 204001	MEDUSA Set with 2 batteries 204002
Standard accessories:			
Quick charging unit without adapter	204123	■	■
Adapter for quick charging unit 204123	204124	■	■
Li-ion battery	204101	■	2 pcs
Spare parts:			
Main cylinder brush	204119	☐	☐
Side brush	204120	☐	☐
Bristled rim	204116	☐	☐

■ standard accessories ☐ Optional accessories

VARIX ZERO series

Flexible. Secure.
Efficient.

CLEANING UNIT

with double-jaw mop press or mop boxes

SUPPLY UNIT

Flexibly adaptable supply unit for different requirements.

Bucket can be placed on top or lowered into the lid.

Easy to clean



GERMAN ENGINEERING

MADE IN EUROPE

DISPOSAL UNIT

Customisable disposal unit including warning sign and multifunctional tool holder

The VARiX ZERO series from SPRiNTUS combines maximum flexibility, maximum safety and efficient workflows in a well-designed cleaning trolley system. The new VariX ZERO generation consists of 13 different cleaning trolley models. These offer the perfect solution for every requirement – from classic building cleaning to healthcare and the hotel industry. Thanks to their modular design, the trolleys are perfectly tailored to the respective areas of application and spatial challenges. The supply and disposal units can be individually equipped with a wide range of accessories. This creates maximum flexibility for every type of property.

Another highlight: the VARiX ZERO series is manufactured in a particularly sustainable manner and contains – depending on the model – up to 80% regranulate, without compromising on quality and stability, of course. In addition, the entire model series is offered as ZERO products with a financial climate contribution: based on the respective product carbon footprint, the CO_2 emissions caused are completely offset by supporting internationally recognised climate protection projects.

With its combination of functionality, sustainability and modern design, the VARiX ZERO series makes SPRiNTUS a strong partner for professional cleaning.



The right cleaning trolley for every application:

Facility Management, Health , Horeca

The modular VARiX ZERO models impress with their compact design, double-jaw mop press, well-thought-out functionality, and flexible configuration options.







Item description	VariX ZERO Small DP	VariX ZERO Compact ODP	VariX ZERO Compact CDP
Item no.	Z306004	Z306001	Z306002
Dimensions (H x L x W)	39⅜ × 23⅝ × 51⅛ in	49¼ × 23⅝ × 47¼ in	49¼ × 23⅝ × 41⅜ in
Weight	50.2 lb	52 lb	72.7 lb








Item description	VariX ZERO Small DB	VariX ZERO Compact CDB	VariX ZERO XL CB	
Item no.	Z306008	Z306005	Z306007	
Dimensions (H x L x W)	39⅜ × 23⅝ × 53⅛ in	49¼ × 23⅝ × 41⅜ in	53⅛ × 23⅝ × 43¼ in	
Weight	25.3 lb	78 lb	97 lb	







Item description	VariX ZERO Small D	VariX ZERO Compact OD	VariX ZERO Compact Plus OD	
Item no.	Z306012	Z306003	Z306013	
Dimensions (H x L x W)	39⅜ × 23⅝ × 53⅛ in	39⅜ × 23⅝ × 41⅜ in	57⅛ × 23⅝ × 59 in	
Weight	30.8 lb	58.6 lb	83.7 lb	



Advantages

- **Spacious:** generous storage space for cleaning products and other utensils – everything is within easy reach and clearly arranged
- **Practical:** integrated holders for conveniently carrying warning signs and other cleaning equipment
- **Customisable:** supply unit with double bracket mop wringer or mop boxes – optionally for efficient building cleaning or hygienic requirements in the health-care sector
- **Hygienic:** smooth, easily disinfectable surfaces, closed design and 4-colour coding for the highest standards of cleanliness and hygiene
- **Secure:** lockable doors to protect against unauthorised access, ideal for sensitive areas and properties with public access
- **Well thought-out:** buckets can be placed on top or retracted into the lid for optimal use of space and a tidy appearance
- **Stable:** robust construction including double-walled doors for dimensional stability even when heavily loaded
- **Modular:** configurable design and large selection of accessories for optimal workflows in building cleaning, healthcare and the hotel industry
- **Ergonomic & agile:** optimal working heights and smooth-running castors for healthy working and easy manoeuvring even when fully loaded



	VariX ZERO XL CDB
	Z306006
	70⅞ × 23⅝ × 43¼ in
	107.5 lb







	VariX ZERO XL CD	VariX ZERO XL Plus CDM	VariX ZERO XL Plus CD
	Z306009	Z306010	Z306011
	57⅛ × 23⅝ × 43¼ in	57⅛ × 23⅝ × 59 in	76¾ × 23⅝ × 59 in
	78 lb	118.6 lb	126.7 lb

VELC mop holder

Fast. Hygienic.
Efficient.

The new SPRiNTUS velcro mop holder brings speed and precision to your cleaning. The sophisticated quick-change system allows you to easily change the mop covers without opening the holder – saving time and protecting your back. This makes the mop holder perfect for demanding hygiene environments such as hospitals.
Thanks to the innovative TriForce pressure rail – two outer velcro bars combined with a central plastic bar – the mop holder ensures optimum contact pressure. The result: a particularly even and streak-free mopping pattern.
Individually customisable in colour and with logo printing, it also offers attractive duo branding – ideal for companies that value their corporate identity. The velcro mop holder is available in two practical sizes – 40 and 60 cm – and is made of high-quality aluminium, which ensures durability and lightness.

Mop holder (10 pieces/unit)		Item-no.
VELC-40 - velcro mop holder		301451
VELC-60 - velcro mop holder		301452
Accessories:		
Aluminium handle	1,40 m	301018
Telescopic handle Standard	0,80 - 1,45 m	301037
Telescopic handle PRO	0,96 - 1,75 m	301224
Spray handle		301218
Velcro strip set for VELC-40 (2x strips, 2x end caps)		301470
Velcro strip set for VELC-60 (2x strips, 2x end caps)		301471
Mop Covers:		
		
VELC-40 Premium PRO mop cover (75 pieces/unit)		301459
VELC-60 Premium PRO mop cover (50 pieces/unit)		301460
		
VELC-40 Medic mop cover (75 pieces/unit)		301461
VELC-60 Medic mop cover (50 pieces/unit)		301462



Premium quality: high-quality aluminium design for professional continuous use

Customisable: Color of the velcro mop holder and logo can be customized as desired




Variable: available in 40 and 60 cm

Quick-change system: cover can be changed in seconds using velcro fasteners

Versatile: commercial cleaning, healthcare facilities, HoReCa, industry

Medic mop cover: resistant to disinfectants for maximum hygiene in healthcare settings



Premium PRO mop cover: Versatile all-rounder for thorough cleaning of all floor surfaces

Easy to replace: replacement velcro strips and end caps for a longer service life of the holder

TriForce pressure rail: 2 strips + 1 central plastic strip for optimum contact pressure and even cleaning



www.sprintus.us